

EXPORT CATALOGUE

EFFECTIVE FROM MARCH 2025

WHEEL BALANCERS

AND ORIGINAL ACCESSORIES



REL. MARCH 2025

COLOR TABLE

Standard		RAL 1007	Yellow	A => /40
Optional		RAL 3002	Red	B => /16
Optional		RAL 5015	Blue	C => /25
Optional		RAL 9006	Light Grey	D => /36
Main frame is always dark grey RAL 7016				=> /34

NEXION SPA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

SUMMARY

WHEEL BALANCERS FOR MOBILE SERVICE	4
S 606 E	4
S 606 E WORKBENCH - HAND SPIN	5
S 606 E SLIDE - MOTORIZED SPIN	6

CAR WHEEL BALANCERS	7
S 62 E	7
S 62 E C TOP	8
S 63E C - S 63E	9
S 64E	10
S 64E C	11
S 65E C - S 65E	12
S 65E C - S 65E - TOUCHSCREEN	13
S 73E C - S 73E LASER	14
S 75E C - S 75E LASER	15
S 75E C - S 75E TOUCHSCREEN	16
S 76E C TOUCH	17
S 78E C TOUCH	18
ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS	19

TRUCK WHEEL BALANCER FOR MOBLE SERVICE	43
S 750 TRUCK	43
ACCESSORIES FOR TRUCK WHEEL BALANCERS FOR MOBILE SERVICE	44


TRUCK WHEEL BALANCERS	45
S 783	45
S 696	46
ACCESSORIES FOR TRUCK WHEEL BALANCERS	47

WHEEL BALANCERS FOR MOBILE SERVICE

S 606 E



DOTAZIONE



Code	Electric Supply	Description	
0-21460600/40	100-230V/1Ph/50-60Hz	S 606 E Hand Spin - Portable wheel balancer for car tyres, compact in dimensions and weight; specially designed for the mobile service and for workshops having a reduced working space. Manual spin version. QP Quick Program 28" automatic wheel sizes detection. Lever operated brake. Lateral foot not included.	
0-21460601/40	200-230V/1Ph/50-60Hz	S 606 E Motorized Spin - Portable wheel balancer for car tyres, compact in dimensions and weight; specially designed for the mobile service and for workshops having a reduced working space. Lever-actuated motorized spin version. QP Quick Program 28" automatic wheel sizes detection. Lever operated brake. Lateral foot not included.	

WHEEL BALANCERS FOR MOBILE SERVICE

S 606 E WORKBENCH - HAND SPIN



DOTAZIONE




Code	Electric Supply	Description	
0-21460602/40	100-230V/1Ph/50-60Hz	S 606 E WORKBENCH Hand Spin - Extremely compact wheel balancer. it can be fixed to a workbench. For hobbyists, small workshops or for mobile service. QP 28" automatic wheel size detection. Lever operated brake. Manual spin version.	

WHEEL BALANCERS FOR MOBILE SERVICE

S 606 E SLIDE - MOTORIZED SPIN



DOTAZIONE




Code	Electric Supply	Description	
0-21460603/40	200-230V/1Ph/50-60Hz	S606 E SLIDE - Motorized Spin. Compact and lightweight wheel balancer, special version for mobile service, it can be extracted from the side door and allows to work comfortably outside the van. QP 28" automatic wheel size detection. Lever operated brake.Lever-actuated motorised spin version.	

CAR WHEEL BALANCERS

S 62 E



DOTAZIONE



Code	Electric Supply	Description	
0-21406200/40	200-230V/1Ph/50Hz	S 62E Basic LED display wheel balancer, manual data acquisition, wheel guard included.	
0-21406202/40	200-230V/1Ph/50Hz	S 62E Basic LED display wheel balancer, manual data acquisition, without wheel guard, No CE	
0-21406204/40	200-230V/1Ph/50Hz	S 62E Plus LED display wheel balancer, automatic data acquisition, wheel guard included	
0-21406208/40	200-230V/1Ph/50Hz	S 62E Top LED display wheel balancer, automatic data acquisition, electrical brake & RPA, wheel guard included.	

CAR WHEEL BALANCERS

S 62 E C TOP



DOTAZIONE



Code	Electric Supply	Description	
0-21406209/40	200-230V/1Ph/50-60Hz	S62E-C TOP LCD display wheel balancer with automatic data input and automatic brake at the end of the spin, automatic wheel clamping, AWC Auto Width Calculation, automatic brake at the end of the measurement and RPA system (lateral foot not included)	

CAR WHEEL BALANCERS


S 63E C - S 63E



DOTAZIONE



DOTAZIONE



Code	Electric Supply	Description	
0-21406300/40	200-230V/1Ph/50-60Hz	S63 E - Professional wheel balancer for cars, lightweight transport vehicles and motor vehicles; double display control panel; Laser, spotlight, speed and ease of use; automatic data acquisition, electrical brake, laser & LED, wheel guard	
0-21406301/40	200-230V/1Ph/50-60Hz	S63E C - as above but with new automatic wheel clamping system.	

S 64E



DOTAZIONE

cod. 8-21100221



cod. 802227308



Ø 42÷118,5 mm



Monitor not Included



Code	Electric Supply	Description	
0-21406400/40	200-230V/1Ph/50-60Hz	S 64E Wheel balancer, compact and essential with professional performances; Automatic wheel distance and diameter acquisition with QP, quick program, for the automatic identification of the best balancing program; AWC (Auto Width Calculation): automatic calculation of the width even if the ES-7 external sensor is not present. The wheel balancer calculates the width by reducing the operational time; Automatic braking at end of measurement; Rpa system - research of the weight automation position and automatic clamping brake; Quick optimise, Hidden weight and Split weight programmes for motorcycles; 4 cones (42÷118,5mm); Monitor and PL50 not included	



CAR WHEEL BALANCERS

S 64E C



DOTAZIONE

Monitor not Included




Code	Electric Supply	Description	
0-21406402/40	200-230V/1Ph/50-60Hz	S64E-C Monitor wheel balancer with automatic data input and automatic brake at the end of the spin, automatic wheel clamping, AWC Auto Width Calculation, automatic brake at the end of the measurement and RPA system (monitor and lateral foot not included)	

CAR WHEEL BALANCERS

S 65E C - S 65E



DOTAZIONE



DOTAZIONE




<i>Code</i>	<i>Electric Supply</i>	<i>Description</i>	
0-21406502/40	200-230V/1Ph/50-60Hz	<i>S 65E C</i> Monitor wheel balancer with automatic wheel clamping, automatic data acquisition, wheel guard, WR weight reduction program (monitor NOT included).	
0-21406500/40	200-230V/1Ph/50-60Hz	<i>S 65E</i> Monitor wheel balancer with manual wheel clamping, automatic data acquisition, wheel guard, WR weight reduction program (monitor NOT included)	

CAR WHEEL BALANCERS

S 65E C - S 65E - TOUCHSCREEN



DOTAZIONE



DOTAZIONE



Code	Electric Supply	Description	
0-21406504/40	200-230V/1ph/50-60 Hz	S65E-C TOUCHSCREEN , Monitor wheel balancer with automatic wheel clamping, autoselect automatic data acquisition, automatic brake at the end of the measurement, LASER, LED and RPA with wheel guard. ES-7 width sonar NOT included.	
0-21406503/40	200-230V/1ph/50-60 Hz	S65E TOUCHSCREEN , as above but with manual wheel clamping	

CAR WHEEL BALANCERS

S 73E C - S 73E LASER




DOTAZIONE



DOTAZIONE



C VERSION



Code	Electric Supply	Description	
0-21407356/40	100-230V/1Ph/50-60Hz	S73E C Laser Led display balancer, autoselect automatic data acquisition, automatic wheel clamping, automatic brake at the end of the spin, "Zero Space" wheel guard, Laser indicator (Sonar NOT included)	
0-21407357/40	100-230V/1Ph/50-60Hz	S73 E LASER as above but with manual wheel clamping	

CAR WHEEL BALANCERS

S 75E C - S 75E LASER




DOTAZIONE




With Manual Clamping
Monitor not Included



DOTAZIONE



With Automatic Clamping
(C Version)
Monitor not Included



Code	Electric Supply	Description	
0-21407586/40	100-230V/1Ph/50-60Hz	S75E C Laser Monitor balancer, autoselect automatic data acquisition, automatic wheel clamping, automatic brake at the end of the spin, "Zero Space" wheel guard, Laser indicator (monitor NOT included, WR weight reduction program included)	
0-21407587/40	100-230V/1Ph/50-60Hz	S75 E LASER as above but with manual wheel clamping	

S 75E C - S 75E TOUCHSCREEN

DOTAZIONE



DOTAZIONE





<i>Code</i>	<i>Electric Supply</i>	<i>Description</i>	
0-21407591/40	100-230V/1Ph/50-60Hz	<i>S75E C</i> Touchscreen Wheel balancer with 22” industrial Touchscreen monitor, Led illuminator, QP (Quick Program) function and new integrated LaserX pointer, automatic wheel clamping, space saving wheel guard, Less Weight program included (Sonar and Run-Out kit NOT included)	
0-21407590/40	100-230V/1Ph/50-60Hz	<i>S75 E</i> Touchscreen as above but with manual wheel clamping	

S 76E C TOUCH



DOTAZIONE




Code	Electric Supply	Description	
0-21407600/40	100-230V/1Ph/50-60Hz	Touch screen machine for tyre assistance centres, dealerships, workshops and car manufacturers dealing with large volumes; no-contact data input (LASER-SONAR compined system) ; 22" touchscreen monitor ; automatic electromechanical wheel clamping system; Weight Reduction program included; Space-saving wheel guard; punctiform laser.	

CAR WHEEL BALANCERS

S 78E C TOUCH



DOTAZIONE




Code	Electric Supply	Description	
0-21407881/40	100-230V/1Ph/50-60Hz	Automatic wheel balancer; 22" touchscreen monitor; Laser pointer; automatic data acquisition; automatic wheel clamping; automatic braking at the end of measurement; Space-saving wheel guard; Weight Recuention program included.	


ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SLID	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touch	S 65E C Touu	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touch	S 75E C Touu	S 76E C Touu	S 78E C Touu		
MONITOR AND PRINTER																												
	LCD 22" wide screen.	8-21100234		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	-	-	-	-		
	LCD 19" wide screen monitor.	8-21100235		-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	-	-	O	O	-	-	-	-		
	Cleaning kit for monitor.	8-21120006		-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	-	-	O	O	O	O	O	O		


ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SLIDE	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touchscreen	S 65E C Touchscreen	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touchscreen	S 75E C Touchscreen	S 76E C Touch	S 78E C Touch
MONITOR AND PRINTER																										
	USB <i>inkjet printer</i> .	8-21120005		-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O
	<i>Printer support kit</i> .	8-21200002/90		-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SL	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touch	S 65E C Touch	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touch	S 75E C Touch	S 76E C Touch	S 78E C Touch	
CENTERING ADAPTORS																											
	GHIP Pneumatic fixing bush Ø 40 mm to lock wheels quickly and safely through air gun (AGP).	8-21100095		O	O	O	O	O	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	-
	HPC High Precision Collets centering kit (8 two-faced slightly tapered bushings)	8-21100244		O			O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
	GBP40 EVO KIT – professional quick nut kit ø40x3mm	8-21100289		●	●	●	●	●	●	-	●	-	●	-	●	-	●	-	●	-	●	-	●	-	-	-	
	PCF1 Wheel protector for centering alloy rims	4-115868																									
	CF1 Wheel clamping cap	4-115863																									
	CD1 Spacer cap	4-115864																									
	GBP EVO Quick nut	5-101561																									
	GBP1 Clamp “R”	4-104798																									
	GBP2 Clamp “L”	4-104799																									
	GBP3 Lever	4-104796																									

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SL	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touch	S 65E C Touch	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touch	S 75E C Touch	S 76E C Touch	S 78E C Touch	
CENTERING ADAPTORS																											
	CCK3 EVO KIT centering cone kit ø40mm 42÷103,5mm	8-21100280		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	CP1 Small cone Ø42÷68 mm	5-107970																									
	CP2 Medium cone Ø60÷87 mm	5-107968																									
	CP3 Large cone Ø83÷103 mm	5-107969																									
	MFS Standard Threaded Shaft Ø40x3mm-181,5 mm long	8-21100283		O	O	O	O	O	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	-
	MFL XL threaded shaft ø40x3mm - 220mm long	8-21100193		O	O	O	O	O	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	-
	MBP40 EVO KIT locking sleeve kit for electric or pneum. wheel locking system	8-21100285		-	-	-	-	-	-	●	-	●	-	●	-	●	-	●	-	●	-	●	-	●	●	●	●
	PCF1 Wheel protector for centering alloy rims	4-115868																									
	CF1 Wheel clamping cap	4-115863																									
	CD1 Spacer cap	4-115864																									
	QLS Quick Locking Sleeve	5-107394																									
	Trolley for HPC kit.	8-21100243/90		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	



ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SL	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touch	S 65E C To	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touch	S 75E C To	S 76E C To	S 78E C To	
CENTERING ADAPTORS																											
	VGBP Hand wheel for wheel fastener ring.	802260682		O	O	O	O	O	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	-
	Kit with 2 revolving knob	8-21100291		O	O	O	O	O	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	-
	Support panel for HPC High Precision Collets centering kit	8-21100253/64		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	O	O	
	Side support panel : accessory holder support panel for centering kits and HPC kits	8-21100258/64		-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	
CGF PCF1 CF1   	ARF Accessory for off-road wheels Ø 100 ÷ 118,5 mm, Ø 100 ÷ 129,5 mm	8-21100080		O	O	O	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
	CGF - Off-road wheel cone (vans)	4-103186																									
	PCF1 - Wheel protector for centring alloy rims	4-115868																									
	CF1 - Wheel clamping cap	4-115863																									

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E W	S 606 E SL	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Tr	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Tou	S 65E C Tr	S 73 E	S 73E C	S 75E	S 75E C	S 75E Tou	S 75E C Tr	S 76E C Tr	S 78E C Tr	
CENTERING ADAPTORS																											
	Centering cone capacity from Ø95 to Ø137 mm.	8-21100096		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
 DX1 CF1 CF2	DX-CBF Pair of centering cone for van wheels (117-173 mm) with aluminium spacer Ø 40 mm.	8-21100141		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	DX1- Spacer	4-107426																									
	CF1- Cone for van ø 117÷147 mm	4-107423																									
	CF2 - Cone for van ø 143÷173 mm	4-107424																									
 DX1 CF161	DX1-CF161 Professional centring kits for Mercedes Benz Sprinter and Volkswagen Crafter commercial vehicles with 161mm ø central hole.	8-21120004		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
 ARS DARS	DR2 Spacer for locking racing wheels to be used with MFL threaded hub Ø40.	8-21100089		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	DARS - Distanziale/Spacer 30 mm	4-105171																									
 B11 B6	BMW-MINI KIT Ø66.5, Ø56.5, Ø72.5, Ø74mm	8-21100228		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	B6 Ø66.5mm	4-105103																									
	B11 Ø56.5 - Ø72.5 - Ø74 mm	4-105108																									

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SLI	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touch	S 65E C Tou	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touch	S 75E C Tou	S 76E C Tou	S 78E C Tou	
CENTERING ADAPTORS																											
	SBC Set of six centring bushes ø 40.	8-21100082		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
	B1 AUDI, BMW, Chrysler, Opel, Rover, Seat, VW, Daewoo, Galaxy (Ford), Lotus, British-Leyland, Smart (Mercedes), Skoda	4-105075																									
	B2 Citroën, Hyundai, Lancia, Maserati, Mazda, Mercedes, Mitsubishi, Nissan, Opel, Peugeot, Saab, Volvo.	4-105076																									
	B3 BMW, Jaguar, Aston Martin.	4-105077																									
	B4 Ford, Honda, Rover	4-105078																									
	B5 Autobianchi, Alfa Romeo, Citroën, Fiat, Lada, Lancia, Jalbot, Biturbo (Maserati), Mazda, Nissan, Peugeot, Porsche, Renault, 2600-3500 serie (Rover), Seat =>90, Skoda, Toyota.	4-105079																									
	B7 Citroën, Daihatsu, Honda, Kia, Mazda, Mitsubishi, Peugeot, Rover, Subaru, Toyota, Agila (Opel), Suzuki, Hyuday.	4-105080																									
	MERCEDES KIT ø 57/60/66,1/66,42/66,50/67/84 mm	8-21400022		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
	B16 ø 57 / 66,1 / 66,42 / 66,50 / 67 mm	4-138168																									
	B17 ø 60 / 84 mm	4-138169																									
	C 210 + OR Wheel fixing plastic disc + O-ring Ø 210 mm	802459564		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
	OR elastic rubber ring Ø 210 mm.	462817																									

ACCESSORIES FOR CARS WHEEL BALANCERS

FLANGES FOR CLAMPING WHEELS WITH CENTRAL HOLE


To tighten the wheels evenly, directly into the mounting holes of the rim, distributing the clamping pressure around the central hole as the bolts holding the wheel on the vehicle, are available the front pin flanges FPF PREMIUM.

This flanges are used in place of the outer clamping cap and should always be matched with centering cone or centering bushing assuring a virtually error-free centering. The FPF PREMIUM flanges are universal, intuitive and easy to use.

The PCD adjusting is quick and can be used for all types of car, van and SUV rims with central hole both current and past.

High quality results for each balancing without sacrificing valuable time.

EXAMPLE OF USE





ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E W	S 606 E SL	S 62E Basic	S 62E Plus	S 62E Top	S 62E C To	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touc	S 65E C To	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touc	S 75E C To	S 76E C To	S 78E C To	
FLANGES AND ACCESSORIES																											
 per cerchi a 5 fori. Range bloccaggio 95,25 - 180 mm Ø 28 Ø 22,5 Ø 22,5 Ø 19	PFM FASTPLATE 5 for 5-hole rims. Clamping range : 95,25 ÷ 180 mm 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP C Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	8-21100294		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
 per cerchi a 3-4-6-8 fori. Range bloccaggio 95,25 - 180 mm Ø 28 Ø 22,5 Ø 22,5 Ø 19	PFM FASTPLATE 3-4-6-8 for 3-4-6-8-hole rims. Clamping range : 95,25 ÷ 180 mm 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP C Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	8-21100295		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
 8-21100296 PFM FASTPLATE KIT per cerchi a 3-4-5-6-8 fori. Range bloccaggio 95,25 - 180 mm Ø 28 Ø 22,5 Ø 22,5 Ø 19	PFM FASTPLATE KIT for 3-4-5-6-8-hole rims. (it includes P/N 8-21100294 and P/N 8-21100295) Clamping range : 95,25 ÷ 180 mm 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP C Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	8-21100296		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
	PFM-C SLEEVE HANDLE Sleeve for wheel balancers with automatic clamping. To be screwed directly to the FASTPLATE to work more comfortably and quickly	8-21100297		-	-	-	-	-	-	O	-	O	-	O	-	O	-	O	-	O	-	O	-	O	O	O	O

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code	S 606 E	S 606 E WB	S 606 E SLIDE	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touchscreen	S 65E C Touchscreen	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touchscreen	S 75E C Touchscreen	S 76E C Touch	S 78E C Touch
-------	-------------	------	---------	------------	---------------	-------------	------------	-----------	-------------	-------	---------	-------	---------	-------	---------	-------------------	---------------------	--------	---------	-------	---------	-------------------	---------------------	---------------	---------------

FLANGES AND ACCESSORIES

	PPF-2 BMW flange kit for wheels with central hole - ø4x100/5x120/5x112 mm.	8-21100145																								
	PPF Basic Kit flange universali per ruote con foro centrale Ø 40 mm.	8-21100152																								
	PET - Petalo Basic	4-108097																								
	HLT2 - Tappo ø 22,5 L.58mm	4-109127																								
	FRU-SA D.40 Universal flange for wheels with or without central hole.	8-21100091																								
	FT1 Connecting rod with pin	2401415																								
	DEB Conical/spheric nut for wheel fixing	321878																								
	CHT6 T Hexagonal key CH 6	4-105877																								
	RFS Caliper	441286																								
	CEP Hexagonal key CH 22	426517																								
	CHI 6 Hexagonal key CH 6	600906																								

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SL	S 62E Basic	S 62E Plus	S 62E Top	S 62E C To	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touch	S 65E C To	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touch	S 75E C To	S 76E C To	S 78E C To	
FLANGES AND ACCESSORIES																											
    	BCF - Set of centring bushes for FRU Ø 40	8-21100092		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	BF1 - Bushing ø 55 Peugeot	4-105110		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	BF2 - Bushing ø 58,1 Fiat Ritmo e Citroën CX/Evasion, Peugeot 806	4-105174		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	BF3 - Bushing ø 60,1 Renault	4-105175		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	BF4 - Bushing ø 65 Peugeot, Citroën	4-105176		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	BF5 - Bushing ø 57 BMW,VW, AUDI, SEAT	4-106570		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	KDCL Conical nuts set for alloy rims (to be used with FRU).	2202194		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	KDMS Spherical nuts set for alloy rims (to be used with FRU)1set=5 pcs	2202195		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	KRD Spacer washers set to be used with FRU (for Mini Morris and De Tomaso rims) 1set=5 pcs.	2202196		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
	BCO Set of 5 conical washers for FRU-SA when working with holes with diam. larger than 21mm	802321387		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SL	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63EC	S 64E	S 64EC	S 65E	S 65EC	S 65E Tour	S 65EC Tour	S 73 E	S 73EC	S 75E	S 75EC	S 75E Tour	S 75EC Tour	S 76EC Tour	S 78EC Tour	
FLANGES AND ACCESSORIES																											
	SDR Set of 5 nuts for quick wheel fastening BC - Conical bush 431481 BOS - Spheric bush 431482 VF - Quick fixing screw 431480	802231479		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
	DC 5 Special nuts set for CITROEN C5 (1 set=5 pcs.)	802262700		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
	RF Stud gauge (plastic) for FRU and FPB.	2008157		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	

ACCESSORIES FOR CARS WHEEL BALANCERS

CENTERING AND CLAMPING ACCESSORIES FOR MOTORCYCLE WHEELS

In the range of accessories for off-the-vehicle wheel balancers is now available the new BIKES UNIVERSAL KIT with various additional sets for centering and dynamic balancing of motorcycle wheels.


Easy to install and quickly to use. Ideal for small scooter wheels up to 21 inches large off-road type; without forgetting the wide chopper type and those monolever without bearings.

Balancing results excellent!
Universal for all wheel balancers in range both manual and automatic clamping.


EXAMPLE OF USE




Shaft with centering cones.




Shaft with centering sleeves.



Motorcycle shaft with same diameter as the floating bearing.




Shaft with special centering kit.



ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code	S 606 E	S 606 E WB	S 606 E SLIDE	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touchscreen	S 65E C Touchscreen	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touchscreen	S 75E C Touchscreen	S 76E C Touch	S 78E C Touch
-------	-------------	------	---------	------------	---------------	-------------	------------	-----------	-------------	-------	---------	-------	---------	-------	---------	-------------------	---------------------	--------	---------	-------	---------	-------------------	---------------------	---------------	---------------

MOTORCYCLE ACCESSORIES


	BIKE UNIVERSAL KIT Basic device for balancing motorcycles and scooters wheels. *Motorcycle ext. gauge not included Wheel holder shaft 14 mm.		8-21120012																									
	1	DRAGGING GROUP	3-03408																									
	2	CYLINDRICAL CHUCK	3-03409																									
	3	Hexagon socket screw M 6x14	3-03410																									
	4	Single head wrench SW50	3-03411																									
	5	Wheel holder shaft Ø 14 mm	3-03412																									
	6	Centering cone 15÷30 mm	3-03413																									
	7	Centering cone 16÷45 mm (Scooter)	3-03414																									
	8	Quick Fix for shaft Ø 14 mm	3-03415																									
	9	Wall board	3-03416																									
	10	Short spacer	3-03417																									
	11	M 14 Knurled nut	3-03418																									
	12	Hexagon socket head key SW4	3-03419																									
	13	Centering sleeve Ø 15 mm	3-03420																									
	14	Centering sleeve Ø 17 mm	3-03421																									
	15	Centering sleeve Ø 20 mm	3-03422																									
	16	PIAGGIO Centering sleeve	3-03423																									
	17	BMW/HONDA Pressure piece	3-03407																									

	PRA 3 Extension for measuring motorcycle wheel distance (for S68 too).		8-21100116	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

[illegible]



ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SL	S 62E Basic	S 62E Plus	S 62E Top	S 62E C To	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Tour	S 65E C To	S 73 E	S 73E C	S 75E	S 75E C	S 75E Tour	S 75E C To	S 76E C To	S 78E C To	
MOTORCYCLE ACCESSORIES																											
	Ø14mm Centering shaft extra-long 318mm, as possible completion of code 8-21120012	8-21120016		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Ø19mm Centering shaft extra-long 365mm, as possible completion of code 8-21120013	8-21120017		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	BIKE MONOLEVER KIT 19 Additional module to BIKE UPGRADE KIT for motorcycle wheels with monolever.	8-21120014																									
	1 Centering sleeve ducati/triumph	3-03397																									
	2 Centering sleeve MV AGUSTA/ HONDA	3-03398																									
	3 Centering sleeve HONDA GL 1800 / NTV 650	3-03399																									
	4 Centering sleeve APRILIA/BMW/ YAMAHA	3-03400																									
	5 Centering sleeve TRIUMPH/HONDA VFR1200	3-03401		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	
	6 PRESSUR PIECE	3-03402																									
	7 Centering FLANGE KTM SUPERDUKE+ TRIUMPH	3-03403																									
	8 SPACING SLEEVE, LONG	3-03404																									
	9 Centering disc BMW II (from year of manufacture 2005) also r v1200 gs	3-03405																									
10 Centering disc BMW I (from year of manufacture 2005) apart r v1200 gs, moto guzzi (FROM 2008) (INTERNAL Ø 14)	3-03406																										
	PRA 4 Extension for measuring motorcycle wheel distance (for no clip machine).	8-21100155		-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	


ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SLIDE	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touchscreen	S 65E C Touchscreen	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touchscreen	S 75E C Touchscreen	S 76E C Touch	S 78E C Touch
LIFTER																										
	EL-0 Automatic self-balancing wheel lifter for wheels weighing up to 80 Kg.	8-21100230		O	-	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	EL-R Adjustable scissor wheel lifter.	8-21100248		O	-	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Mounting set for EL-0 and EL-R only for S62E, S63E, S65E (without lateral foot PL 50)	8-21100231		-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-



ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SLIDE	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touchscreen	S 65E C Touchscreen	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touchscreen	S 75E C Touchscreen	S 76E C Touch	S 78E C Touch
LIFTER																										
	Flap kit for EL-0 and EL-R (it allows to mount the lifter on wheel balancers with lateral foot PL50).	8-21600132		-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-
	EL80 Universal pneumatic lifter, max load kg 80.	8-21100161		-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	FTT1 EL80 mounting kit for S62E-S63E-S64E-S65E	8-21100163		-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-
	FTT2 EL80 mounting kit for S73E-S75E-S76E-S78E	8-21120002		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	O	O


Accessories for Car and Motorcycle Wheel Balancers			
Image	Description	Code	
			S 606 E
			S 606 E WB
			S 606 E SLIDE
			S 62E Basic
			S 62E Plus
			S 62E Top
			S 62E C Top
			S 63E
			S 63E C
			S 64E
			S 64E C
			S 65E
			S 65E C
			S 65E Touchscreen
			S 65E C Touchscreen
			S 73 E
			S 73E C
			S 75E
			S 75E C
			S 75E Touchscreen
			S 75E C Touchscreen
			S 76E C Touch
			S 78E C Touch

MISCELLANEOUS																													
 LAN CONNECTION KIT	LAN CONNECTION KIT Interconnection kit of the wheel balancer to the company management system network; it allow to view, archive and print remotely thedifferent measurement and diagnostic reports of the diagnostic wheel balancer.	8-21100255		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	LASER X kit: New accessory available to integrate a laser blade in the SmartArm of the measuring detectors, which is useful for guiding the user in the precise choice of the rim's inner surfaces with utmost High Precision Collet (HPC) Dispenser Weight Kit visibility and without errors. Dedicated Plug&Play system .	8-21120022		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-
	RRS-2 RUN-OUT Kit for measuring wheel eccentricity. In touchscreen models, in addition to graphical data visualization, the BESTFIT function is also included.	8-21100277		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Upgrade kit LASER X for S73 and S75 C Laser, not E version (this kit is already fitted on the S73 and S75 C E Laser series, it allows the upgrade of the S73 and S75 C Laser models not E version, manufactured until end of 2017)	8-21120023		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	●	●	●	●	●	●	-	-	-	


ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code																													
				S 606 E	S 606 E WB	S 606 E SL	S 62E Bas	S 62E Plus	S 62E Top	S 62E C Tr	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touch	S 65E C Tr	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touch	S 75E C Tr	S 76E C Tr	S 78E C Tr					
MISCELLANEOUS																															
	RRS Sonar RUN-OUT Kit for measuring wheel eccentricity. In touchscreen models, in addition to graphical data visualization, the BESTFIT function is also included.	8-21100250		-			-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	-						
	ES-6 Wheel width measerment with support.	8-21100074		-	-	-	-	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
	ES-7 Wheel width measerment with sonar Compatible with wheel balancer models produced from July 2024	8-21100293/90		-	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	●	-						
	ASF Kit - Adjustable Stability Foot, optimizes the stability of the wheel balancer in case of accidental contact by the operator	8-21100299		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O						

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code			S 606 E	S 606 E W	S 606 E S	S 62E Bas	S 62E Plus	S 62E Top	S 62E C T	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Tou	S 65E C T	S 73 E	S 73E C	S 75E	S 75E C	S 75E Tou	S 75E C T	S 76E C T	S 78E C T	
MISCELLANEOUS																												
	LK LASER & Led Illuminator Kit.	8-21100238			-	-	-	O	O	O	O	●	●	O	O	●	●	●	●	-	-	-	-	-	-	-	-	
	PL - Side foot for installation without anchoring to floor	8-21101100/90			O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Trolley Kit for an easier handling.	8-21101200			O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code		S 606 E	S 606 E WB	S 606 E SL	S 62E Basic	S 62E Plus	S 62E Top	S 62E C Top	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Touch	S 65E C Touch	S 73 E	S 73E C	S 75E	S 75E C	S 75E Touch	S 75E C Touch	S 76E C Touch	S 78E C Touch	
MISCELLANEOUS																											
	AL12 - 12v power supply kit (only for S 606 E Hand Spin version)	8-21101000		O	O	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-	-	
	VC - Voltage Converter 220V to 110V Voltage converter to electrically connect a 110V wheel balancer to a 220V mains voltage. Only for markets that have dual 220V and 110V mains power supplies and for wheel balancers manufactured in 110V.	8-21100292/90		-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	-	-	-	-	
	KFTU Kit - anchoring kit to floor (included)	8-21101010		O	-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-	-	
	TILT kit aimed at obtaining the TILT version; Ideal to work inside the van thanks to the possibility of tilting the measuring unit to vertical position	8-21101300		O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
-------	-------------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ACCESSORIES FOR CAR AND MOTORCYCLE WHEEL BALANCERS

Image	Description	Code																													
				S 606 E	S 606 E WB	S 606 E SL	S 62E Bas	S 62E Plus	S 62E Top	S 62E C T	S 63E	S 63E C	S 64E	S 64E C	S 65E	S 65E C	S 65E Tou	S 65E C T	S 73 E	S 73E C	S 75E	S 75E C	S 75E Tou	S 75E C T	S 76E C T	S 78E C T					
MISCELLANEOUS																															
	SLUG Sample weight for calibration.	8-21100221		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
	RS232 Serial cable.	8-21100224		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	-	-		
	USB-RS232 Adapter to connect USB port onboard (pc and laptop of last generation to RS232 port).	8-21100226		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	-	-			
	LASER calibrator.	8-21120001		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	○	○			
	PB Pliers for weight fixing and removing.	802227308		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
	CHE10 Hexagonal wrench 10 mm.	2-00910		●	●	●	●	●	●	-	●	-	●	-	●	-	●	-	●	-	●	-	●	-	-	-	-	-			
	SPT Tape-a-weight removal tool.	4-112898		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○			

TRUCK WHEEL BALANCER FOR MOBLE SERVICE


S 750 TRUCK

DOTAZIONE



Code	Electric Supply	Description	
0-21101050/34	100-230V/1Ph/50-60Hz	S750 TRUCK Hand spin Portable wheel balancer for truck and bus tyres, compact in dimensions and weight; It can be fit on every type of chuck tyre changer for truck. Specially designed for the mobile service and for workshops having a reduced working space.	
8-21400751		Compulsory customizing S750 Truck	

ACCESSORIES FOR TRUCK WHEEL BALANCERS FOR MOBILE SERVICE

Image	Description	Code	
	ART40 TRUCKS FLANGES CENTERING KIT	8-21900220	
	CAR MATE centering and clamping kit $\varnothing 42 \div 103,5$ mm	8-21100278	
	GGR40 Centering kit $\varnothing 40$ for central hole wheels 183,5÷223 mm - 17,5"-19.5"rims (IVECO-MAN- DAF)	8-21100261	
	Trolley kit for storage stand	8-21101052	
	DTMS Adapter for mounting truck centering accessories, ART 40 EVO, KCT 40 EVO, and ARV 40.	8-21100267	

TRUCK WHEEL BALANCERS

S 783



DOTAZIONE



COD.
802227308



Code	Electric Supply	Description	
0-21407830/40	200÷230V/1Ph/50-60Hz	S783 MO - Compact Motorized Truck Balancer, Automatic Gauge 28", AWC, automatic brake at the end of the spin; Inverter Technology System; integrated wheel lift	
0-21407832/40	100÷115V/1Ph/50-60Hz	S783 MO - as above but with different voltage	
0-21407831/40	100÷230V/1Ph/50-60Hz	S783 HS - Compact handspin truck balancer, Automatic Gauge 28", AWC, manual brake, integrated wheel lift	


TRUCK WHEEL BALANCERS

S 696



DOTAZIONE

PB cod. 802227308



P100 cod. 430573




P300 cod. 439516



MFT cod. 238304



RAC/T cod. 9239556



DXT/CBFT cod. 2202142



GVA cod. 802239121



SPT cod. 4-112898





AVAILABLE WHILE STOCKS LAST



Code	Electric Supply	Description	
0326001/A	200-230V/1Ph/50Hz	S 696 Wheel balancer for truck wheels, automatic spin, integrated wheel lifter, LCD 19" monitor included.	
0326003/A	200-230V/1Ph/60Hz	S 696 Wheel balancer for truck wheels, automatic spin, integrated wheel lifter, LCD 19" monitor included.	


ACCESSORIES FOR TRUCK WHEEL BALANCERS

Image	Description	Code					S 783 MO	S 783 HS	S 696
CENTERING AND CLAMPING									
	ART40 EVO - Premium Heavy-Duty adaptor Kit (10-8-6 hole) Support flange for truck rims with central hole ø160/176/200 mm Support flange for truck rims with central hole ø220/280 mm Pcd: 6x205/6x222/6x245/8x275/8x285/10x335/10x285,75/10x225	8-21100269					O	O	-
	KCT40 EVO - Heavy-Duty cone Kit Medium double sided cone, ø159 ÷ 180/198 ÷ 204 mm Large double sided cone, ø220-281 mm	8-21100268					O	O	-
	ARV40 - Premium Medium&Light commercial vehicle adaptor kit (6-hole) MERCEDES : SPRINTER VW: LT 35/40/46 FORD: TRANSIT IVECO: DAILY NISSAN: NV 400 OPEL: MOVANO 2 RENAULT: MASTER	8-21100270					O	O	-




ACCESSORIES FOR TRUCK WHEEL BALANCERS

ACCESSORIES FOR TRUCK WHEEL BALANCERS				S 783 MO	S 783 HS	S 696
Image	Description	Code				
CENTERING AND CLAMPING						
	GGR40 Centering kit ø 40 for central hole wheels 183,5÷223 mm - 17,5"-19.5"rims (IVECO-MAN- DAF)	8-21100261		O	O	-
 DX1 CF1 CF2	DX-CBF Centring accessory for vans and off-road wheels Ø 117÷173 mm	8-21100141		O	O	-
	ARU40 Ø42÷156 mm (1.65"÷6,14") - recessed spring included	8-21900191		O	O	-
	CBG-2 Alloy wheel clamping cup (Ø 220 mm). Suits GTR40 EVO quick nut	8-21100284		O	O	-
	GTR40 EVO PRO Steel quick nut Ø 40x4 mm	8-21100275		O	-	-


ACCESSORIES FOR TRUCK WHEEL BALANCERS

<i>Image</i>	<i>Description</i>	<i>Code</i>					S 783 MO	S 783 HS	S 696
CENTERING AND CLAMPING									
	GTR40 EVO - Quick nut Ø 40x4 mm	8-21100276					O	-	-
	GTR40 EVO HS - Quick nut Ø 40x4 mm with turning handles	8-21100279					-	O	-
	GTV40 - Ring nut Ø 40x4 mm	8-21900194					O	-	-
	GTM40 - Ring nut Ø 40x4 mm	8-21100272					-	O	-
	FRU-SA D.40 Universal self-centring flange for wheels with ot without central hole hole Ø min.90 max 210	8-21100091					O	O	-
	FT1 Connecting rod with pin	2401415							
	DEB Conical/spheric nut for wheel fixing	321878							
	CHT6 T Hexagonal key CH 6	4-105877							
	RFS Caliper	441286							
	CEP Hexagonal key CH 22	426517							
	CHI 6 Hexagonal key CH 6	600906							

ACCESSORIES FOR TRUCK WHEEL BALANCERS

Image	Description	Code					S 783 MO	S 783 HS	S 696
CENTERING AND CLAMPING									
	TWS40 Truck wheel spacer Ø 40 (30mm - 1.19")	8-21100290					O	O	-
	SCT Professional centring accessory for truck wheels.		802239637				-	-	O
	FAT 1	Support flange for truck rims with hole ø160/176/200 mm							
	FAT 2	Support flange for truck rims with hole ø220/280 mm							
	PT	Pin for centring truck wheels with ø18-35 mm fastener screw holes							
	PMT	MAXI pin for centring truck wheels with ø28-47 mm fastener screw holes							
	MFE	Hub with flange							
	RFT	Hole detector for measuring truck wheel fastener hole distance							
	KCT - Basic centring accessory for truck wheels.		802245159				-	-	O
	DBT	Spacer flange.							
	CT 161	Medium cone ø 159-204 mm.							
	CT 221	Large cone ø 220-281 mm.							
	GGR 223 Accessory for centre hole wheels from 190 to 223mm, rims 17,5-19,5 (IVECO - MAN - DAF)	8-21100222					-	-	O


ACCESSORIES FOR TRUCK WHEEL BALANCERS

Image	Description	Code				S 783 MO	S 783 HS	S 696
CENTERING AND CLAMPING								
	SCA Set of clamping accessories for car and van wheels.	2200556		-	-	O		
	DPT Spacer flange	9341843						
	FAR Centring ring	9339673						
	CBG Double sided cone ø 110-165 mm	9339672						
	CNP Small cone ø 47-64 mm mm	9339670						
	CBM Medium double sided cone ø 60-115 mm	9339671						
	DXT/CBFT Double front cone Ø 117-173 mm with spacer for centring van and light commercial vehicle wheels.	2202142		-	-	●		
	DXT Spacer for centring van and light commercial vehicle wheels Ø 46.	3020881						
	CBFT Double front cone Ø 46.	3020837						
	FRU-SA D.46 - Universal flange for car and industrial vehicle wheels 3-4-5-6 holes (without central hole). Distance between holes ø min. 90 max. 210 mm.	8-21100256		-	-	O		
	FT1	Biella con perno	4-135110					
	CHT6	T-Hexagonal key CH6	4-105877					
	DEB	DOUBLE SIDED (conical and spherical) nut for fastening wheels	321878					
	CHI6	Hexagonal key CH6	600906					
	RFS	Hole detector for measuring wheel fastener hole distance	441286					
	CEP	Hexagonal key CH22	426517					
	RFT Stud gauge for FRU/T.	2202323		O	O	O		

ACCESSORIES FOR TRUCK WHEEL BALANCERS

				S 783 MO	S 783 HS	S 696
Image	Description	Code				
CENTERING AND CLAMPING						
	MLF Handle for wheel spinning for FRU-SA D.46	802244344		-	O	-
	DFT Spacer for F 350/450 Ford wheels (to be used with CBG cone).	802245527		-	-	O
	GVA Collet Ø 46 mm for car, van and truck wheels.	802239121		-	-	●
	GVA/R Quick collet Ø 46 mm for car, van and truck wheels (not available for USA and Germany).	802443938		-	-	O


ACCESSORIES FOR TRUCK WHEEL BALANCERS

				S 783 MO	S 783 HS	S 696
Image	Description	Code				
MISCELLANEOUS						
	RAC T Rim width measuring caliper for truck wheels.	9239556		●	●	●
	PB Pliers for weight fixing and removing.	802227308		●	●	●
	SPT Tape-a-weight removal tool.	4-112898		○	●	●
	P100 Self-calibration certified weight (100 gr).	430573		●	●	●
	CHE12 Hexagonal wrench 12 mm.	9601771		○	○	○
	AL12 12v power supply kit	8-21101000		-	○	-

ACCESSORIES FOR TRUCK WHEEL BALANCERS

				S 783 MO	S 783 HS	S 696
Image	Description	Code				
MISCELLANEOUS						
	LASER & LED KIT	8-21100238		O	O	-
	LASER BLADE KIT: New accessory available to integrate a laser blade in the SmartArm of the measuring detectors, which is useful for guiding the user in the precise choice of the rim's inner surfaces with utmost High Precision Collet (HPC) Dispenser Weight Kit visibility and without errors. Dedicated Plug&Play system .	8-21120022		O	O	-
	TRUCK TROLLEY KIT for an easier handling	8-21101400		O	O	-
	ROLL-BAR KIT - protezione laterale	8-21101401		O	O	-

ACCESSORIES FOR TRUCK WHEEL BALANCERS

				S 783 MO	S 783 HS	S 696
Image	Description	Code				
MISCELLANEOUS						
	ACCESSORY RACK	8-21101402		O	O	O
	KFTU Kit - anchoring kit to floor	8-21101010		O	O	-
	TWG Wheel guard kit with support.	8-21100298/90		O	-	-

